



SAFETY DATA SHEET

(C)NIL003 H3 1LTR NILGLASS EAN 5050328005237

According to the REACH etc. (Amendment etc.) (EU Exit) Regulations 2020 No. 1577, as amended.

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name (C)NIL003 H3 1LTR NILGLASS EAN 5050328005237

Product number SVTN1GCSR

This SDS covers the following: NIL014, NIL021

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Cleaning agent.

Uses advised against Use only for intended applications.

1.3. Details of the supplier of the safety data sheet

Supplier James Briggs Ltd
Salmon Fields
Royton
Oldham
OL2 6HZ
0161 627 0101
sds@jamesbriggs.co.uk

1.4. Emergency telephone number

Emergency telephone +44 (0) 161 620 5400

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (SI 2019 No. 720)

Physical hazards Not Classified

Health hazards Eye Irrit. 2 - H319

Environmental hazards Not Classified

2.2. Label elements

Hazard pictograms



Signal word Warning

Hazard statements H319 Causes serious eye irritation.

(C)NIL003 H3 1LTR NILGLASS EAN 5050328005237

Precautionary statements	<p>P102 Keep out of reach of children.</p> <p>P280 Wear protective gloves.</p> <p>P264 Wash contaminated skin thoroughly after handling.</p> <p>P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.</p> <p>P337+P313 If eye irritation persists: Get medical advice/ attention.</p> <p>P501 Dispose of contents/ container in accordance with local regulations.</p>
---------------------------------	--

2.3. Other hazards

This product does not contain any substances classified as PBT or vPvB.

SECTION 3: Composition/information on ingredients**3.2. Mixtures**

Propan-2-ol		5 - <10%
CAS number: 67-63-0	EC number: 200-661-7	
Classification		
Flam. Liq. 2 - H225		
Eye Irrit. 2 - H319		
STOT SE 3 - H336		
2-butoxyethanol		1 - <5%
CAS number: 111-76-2	EC number: 203-905-0	
Classification		
Acute Tox. 4 - H302		
Acute Tox. 4 - H312		
Acute Tox. 4 - H332		
Skin Irrit. 2 - H315		
Eye Irrit. 2 - H319		

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

SECTION 4: First aid measures**4.1. Description of first aid measures**

General information	Show this Safety Data Sheet to the medical personnel. Effects may be delayed. Rinse immediately with plenty of water. While rinsing, remove clothing not adhering to the affected area. Get medical attention if any discomfort continues.
Inhalation	Unlikely route of exposure as the product does not contain volatile substances. Rinse nose and mouth with water. If spray/mist has been inhaled, proceed as follows. Get medical attention if any discomfort continues. If in doubt, get medical attention promptly.
Ingestion	Get medical attention. Show this Safety Data Sheet to the medical personnel. Rinse mouth thoroughly with water. Do not induce vomiting unless under the direction of medical personnel.
Skin contact	Wash with plenty of water. Get medical attention if symptoms are severe or persist after washing. If in doubt, get medical attention promptly. Take off contaminated clothing and wash it before reuse. Show this Safety Data Sheet to the medical personnel. Effects may be delayed.

(C)NIL003 H3 1LTR NILGLASS EAN 5050328005237

Eye contact Rinse with water. Continue to rinse for at least 10 minutes. Remove any contact lenses and open eyelids wide apart. Get medical attention if irritation persists after washing. If in doubt, get medical attention promptly. May cause permanent damage if eye is not immediately irrigated. Show this Safety Data Sheet to the medical personnel.

4.2. Most important symptoms and effects, both acute and delayed

General information The severity of the symptoms described will vary dependent on the concentration and the length of exposure.

Inhalation May cause respiratory system irritation. A single exposure may cause the following adverse effects: Temporary irritation. Coughing. Irritation of nose, throat and airway.

Ingestion A single exposure may cause the following adverse effects: Coughing. Dryness of mouth and throat. Gastrointestinal symptoms, including upset stomach. Ingestion may cause severe irritation of the mouth, the oesophagus and the gastrointestinal tract.

Skin contact A single exposure may cause the following adverse effects: Dryness and/or cracking. Skin irritation.

Eye contact A single exposure may cause the following adverse effects: Irritation of eyes and mucous membranes. Irritation and redness, followed by blurred vision. Itchiness. Profuse watering of the eyes.

4.3. Indication of any immediate medical attention and special treatment needed

Notes for the doctor Treat symptomatically.

SECTION 5: Firefighting measures**5.1. Extinguishing media**

Suitable extinguishing media The product is not flammable.

5.2. Special hazards arising from the substance or mixture

Specific hazards Not applicable.

Hazardous combustion products Thermal decomposition or combustion products may include the following substances: Harmful gases or vapours.

5.3. Advice for firefighters

Protective actions during firefighting No specific firefighting precautions known. Avoid breathing fire gases or vapours.

Special protective equipment for firefighters Firefighter's clothing will provide a basic level of protection for chemical incidents.

SECTION 6: Accidental release measures**6.1. Personal precautions, protective equipment and emergency procedures**

Personal precautions Wear protective clothing as described in Section 8 of this safety data sheet. No action shall be taken without appropriate training or involving any personal risk.

6.2. Environmental precautions

Environmental precautions Avoid discharge into drains or watercourses or onto the ground. Contain spillage with sand, earth or other suitable non-combustible material. The product may affect the acidity (pH) of water which may have hazardous effects on aquatic organisms.

6.3. Methods and material for containment and cleaning up

(C)NIL003 H3 1LTR NILGLASS EAN 5050328005237

Methods for cleaning up Wear protective clothing as described in Section 8 of this safety data sheet. Clear up spills immediately and dispose of waste safely. Small Spillages: Collect spillage. Large Spillages: Absorb spillage with non-combustible, absorbent material. The contaminated absorbent may pose the same hazard as the spilled material. Collect and place in suitable waste disposal containers and seal securely. Label the containers containing waste and contaminated materials and remove from the area as soon as possible. Flush contaminated area with plenty of water. Wash thoroughly after dealing with a spillage. For waste disposal, see Section 13.

6.4. Reference to other sections

Reference to other sections For personal protection, see Section 8. See Section 11 for additional information on health hazards. See Section 12 for additional information on ecological hazards. For waste disposal, see Section 13.

SECTION 7: Handling and storage**7.1. Precautions for safe handling**

Usage precautions Read and follow manufacturer's recommendations. Wear protective clothing as described in Section 8 of this safety data sheet. Keep away from food, drink and animal feeding stuffs. Keep container tightly sealed when not in use. Good personal hygiene procedures should be implemented. Keep containers upright. No specific requirements are anticipated under normal conditions of use. Wash hands thoroughly after handling.

Advice on general occupational hygiene Wash promptly if skin becomes contaminated. Take off contaminated clothing. Wash contaminated clothing before reuse. Good personal hygiene procedures should be implemented.

7.2. Conditions for safe storage, including any incompatibilities

Storage precautions Store away from incompatible materials (see Section 10). Keep only in the original container. Keep container tightly closed, in a cool, well ventilated place. Keep containers upright. Protect containers from damage.

Storage class Unspecified storage.

7.3. Specific end use(s)

Specific end use(s) The identified uses for this product are detailed in Section 1.2.

SECTION 8: Exposure controls/Personal protection**8.1. Control parameters****Occupational exposure limits****Propan-2-ol**

Long-term exposure limit (8-hour TWA): WEL 400 ppm 999 mg/m³

Short-term exposure limit (15-minute): WEL 500 ppm 1250 mg/m³

2-butoxyethanol

Long-term exposure limit (8-hour TWA): WEL 25 ppm 123 mg/m³

Short-term exposure limit (15-minute): WEL 50 ppm 246 mg/m³

Sk

WEL = Workplace Exposure Limit.

Sk = Can be absorbed through the skin.

Propan-2-ol (CAS: 67-63-0)

(C)NIL003 H3 1LTR NILGLASS EAN 5050328005237

DNEL

Workers - Inhalation; Long term systemic effects: 500 mg/m³
 Workers - Dermal; Long term systemic effects: 888 mg/kg/day
 General population - Inhalation; Long term systemic effects: 89 mg/m³
 General population - Dermal; Long term systemic effects: 319 mg/kg/day
 General population - Oral; Long term systemic effects: 26 mg/kg/day

PNEC

- Fresh water; 140.9 mg/l
- marine water; 140.9 mg/l
- STP; 2251 mg/l
- Sediment (Freshwater); 552 mg/kg
- Sediment (Marinewater); 552 mg/kg
- Soil; 28 mg/kg
- Oral; 160 mg/kg

2-butoxyethanol (CAS: 111-76-2)

DNEL

Workers - Inhalation; Long term systemic effects: 98 mg/m³
 Workers - Inhalation; Short term systemic effects: 1091 mg/m³
 Workers - Inhalation; Short term local effects: 246 mg/m³
 Workers - Dermal; Long term systemic effects: 125 mg/kg/day
 Workers - Dermal; Short term systemic effects: 89 mg/kg/day
 General population - Inhalation; Long term systemic effects: 59 mg/m³
 General population - Inhalation; Short term systemic effects: 426 mg/m³
 General population - Inhalation; Short term local effects: 147 mg/m³
 General population - Dermal; Long term systemic effects: 75 mg/kg/day
 General population - Dermal; Short term systemic effects: 89 mg/kg/day
 General population - Oral; Long term systemic effects: 6.3 mg/kg/day
 General population - Oral; Short term systemic effects: 26.7 mg/kg/day

PNEC

- Fresh water; 8.8 mg/l
- marine water; 0.88 mg/l
- STP; 463 mg/l
- Sediment (Freshwater); 34.6 mg/kg
- Sediment (Marinewater); 3.46 mg/kg
- Soil; 2.33 mg/kg
- Oral; 20 mg/kg

Tetrasodium ethylenediaminetetraacetate (CAS: 64-02-8)

DNEL

Workers - Inhalation; Long term local effects: 1.5 mg/m³
 Workers - Inhalation; Short term local effects: 3 mg/m³
 General population - Inhalation; Long term local effects: 0.6 mg/m³
 General population - Inhalation; Short term local effects: 1.2 mg/m³
 General population - Oral; Long term systemic effects: 25 mg/kg/day

PNEC

- Fresh water; 2.2 mg/l
- marine water; 0.22 mg/l
- STP; 43 mg/l
- Soil; 0.72 mg/kg

Sodium Laureth Sulphate (CAS: 68891-38-3)

(C)NIL003 H3 1LTR NILGLASS EAN 5050328005237

DNEL	Workers - Inhalation; Long term systemic effects: 175 mg/m ³ Workers - Dermal; Long term systemic effects: 2750 mg/kg/day General population - Inhalation; Long term systemic effects: 52 mg/m ³ General population - Dermal; Long term systemic effects: 1650 mg/kg/day General population - Oral; Long term systemic effects: 15 mg/kg/day
PNEC	- Fresh water; 0.24 mg/l - marine water; 0.024 mg/l - STP; 10000 mg/l - Sediment (Freshwater); 0.917 mg/kg - Sediment (Marinewater); 0.092 mg/kg - Soil; 7.5 mg/kg

8.2. Exposure controls**Protective equipment****Appropriate engineering controls**

Provide adequate ventilation. Observe any occupational exposure limits for the product or ingredients.

Eye/face protection

Unless the assessment indicates a higher degree of protection is required, the following protection should be worn: Tight-fitting safety glasses. Personal protective equipment that provides appropriate eye and face protection should be worn.

Hand protection

The most suitable glove should be chosen in consultation with the glove supplier/manufacturer, who can provide information about the breakthrough time of the glove material. To protect hands from chemicals, wear gloves that are proven to be impervious to the chemical and resist degradation. Frequent changes are recommended.

Other skin and body protection

Wear appropriate clothing to prevent skin contamination. Provide eyewash station.

Hygiene measures

Good personal hygiene procedures should be implemented. Wash after use and before eating, smoking and using the toilet. Take off contaminated clothing and wash it before reuse.

Respiratory protection

No specific requirements are anticipated under normal conditions of use.

Environmental exposure controls

Keep container tightly sealed when not in use.

SECTION 9: Physical and chemical properties**9.1. Information on basic physical and chemical properties**

Appearance	Liquid.
Melting point	Not applicable.
Flash point	Not applicable.

9.2. Other information

Volatility	Not applicable.
Volatile organic compound	Not applicable.

SECTION 10: Stability and reactivity**10.1. Reactivity**

Reactivity See the other subsections of this section for further details.

(C)NIL003 H3 1LTR NILGLASS EAN 5050328005237**10.2. Chemical stability**

Stability Stable at normal ambient temperatures and when used as recommended. Stable under the prescribed storage conditions.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions The following materials may react strongly with the product: Oxidising agents.

10.4. Conditions to avoid

Conditions to avoid No specific requirements are anticipated under normal conditions of use.

10.5. Incompatible materials

Materials to avoid Strong acids. Strong alkalis.

10.6. Hazardous decomposition products

Hazardous decomposition products Does not decompose when used and stored as recommended. Thermal decomposition or combustion products may include the following substances: Harmful gases or vapours.

SECTION 11: Toxicological information**11.1. Information on toxicological effects****Acute toxicity - oral**

ATE oral (mg/kg) 47,133.33

Acute toxicity - dermal

ATE dermal (mg/kg) 36,666.67

Acute toxicity - inhalation

ATE inhalation (vapours mg/l) 366.67

General information The severity of the symptoms described will vary dependent on the concentration and the length of exposure.

Inhalation A single exposure may cause the following adverse effects: Temporary irritation. Coughing. Irritation of nose, throat and airway.

Ingestion A single exposure may cause the following adverse effects: Coughing. Gastrointestinal symptoms, including upset stomach. Ingestion may cause severe irritation of the mouth, the oesophagus and the gastrointestinal tract.

Skin contact A single exposure may cause the following adverse effects: Dryness and/or cracking. Skin irritation.

Eye contact A single exposure may cause the following adverse effects: Irritation of eyes and mucous membranes. Irritation and redness, followed by blurred vision. Itchiness. Profuse watering of the eyes.

Route of exposure Ingestion Inhalation Skin and/or eye contact

Target organs No specific target organs known.

Toxicological information on ingredients.**Propan-2-ol****Acute toxicity - oral**

Acute toxicity oral (LD₅₀ mg/kg) 5,840.0

(C)NIL003 H3 1LTR NILGLASS EAN 5050328005237

Species	Rat
ATE oral (mg/kg)	5,840.0
<u>Acute toxicity - dermal</u>	
Acute toxicity dermal (LD₅₀ mg/kg)	13,120.0
Species	Rabbit
ATE dermal (mg/kg)	13,120.0
<u>Acute toxicity - inhalation</u>	
Notes (inhalation LC₅₀)	LC ₅₀ >10000 ppm, Inhalation, Vapour, Rat 6 hours
<u>Skin corrosion/irritation</u>	
Animal data	Dose: *, 4 hours, Rabbit Primary dermal irritation index: 0 Not irritating.
<u>Serious eye damage/irritation</u>	
Serious eye damage/irritation	Dose: 0.1 ml, 14 days, Rabbit Moderately irritating.
<u>Skin sensitisation</u>	
Skin sensitisation	Buehler test - Guinea pig: Not sensitising.
<u>Germ cell mutagenicity</u>	
Genotoxicity - in vitro	Gene mutation: Negative.
Genotoxicity - in vivo	Chromosome aberration: Negative.
<u>Carcinogenicity</u>	
Carcinogenicity	NOEL 5000 ppm, Inhalation, Rat
IARC carcinogenicity	IARC Group 3 Not classifiable as to its carcinogenicity to humans.
<u>Specific target organ toxicity - repeated exposure</u>	
STOT - repeated exposure	NOAEC 5000 ppm, Inhalation, Rat

2-butoxyethanol

<u>Acute toxicity - oral</u>	
Acute toxicity oral (LD₅₀ mg/kg)	1,414.0
Species	Guinea pig
ATE oral (mg/kg)	1,414.0
<u>Acute toxicity - dermal</u>	
Acute toxicity dermal (LD₅₀ mg/kg)	220.0
Species	Rat
ATE dermal (mg/kg)	1,100.0
<u>Acute toxicity - inhalation</u>	

(C)NIL003 H3 1LTR NILGLASS EAN 5050328005237

Acute toxicity inhalation (LC₅₀ vapours mg/l)	2.2
Species	Rat
Notes (inhalation LC₅₀)	4 hours
ATE inhalation (vapours mg/l)	11.0
<u>Skin corrosion/irritation</u>	
Animal data	Dose: 0.5 ml, 4 hours, Rabbit Erythema/eschar score: Well defined erythema (2). Oedema score: No oedema (0). Irritating.
<u>Serious eye damage/irritation</u>	
Serious eye damage/irritation	Dose: 0.1 ml, 24 hours, Rabbit Irritating.
<u>Skin sensitisation</u>	
Skin sensitisation	Guinea pig maximization test (GPMT) - Guinea pig: Not sensitising.
<u>Germ cell mutagenicity</u>	
Genotoxicity - in vitro	Bacterial reverse mutation test: Negative.
Genotoxicity - in vivo	Chromosome aberration: Negative.
<u>Carcinogenicity</u>	
Carcinogenicity	NOAEL >125 ppm, Inhalation, Rat
IARC carcinogenicity	IARC Group 3 Not classifiable as to its carcinogenicity to humans.
<u>Reproductive toxicity</u>	
Reproductive toxicity - fertility	- NOAEL 720 mg/kg/day, Oral, Mouse P
Reproductive toxicity - development	Developmental toxicity: - NOAEL: 100 mg/kg/day, Oral, Rat
<u>Specific target organ toxicity - repeated exposure</u>	
STOT - repeated exposure	NOAEL <69 mg/kg, Oral, Rat NOAEL >150 mg/kg/day, Dermal, Rabbit NOAEC <31 ppm, Inhalation, Rat

Tetrasodium ethylenediaminetetraacetate

<u>Acute toxicity - oral</u>	
Acute toxicity oral (LD₅₀ mg/kg)	1,780.0
Species	Rat
ATE oral (mg/kg)	1,780.0
<u>Acute toxicity - inhalation</u>	
ATE inhalation (dusts/mists mg/l)	1.5
<u>Skin corrosion/irritation</u>	

(C)NIL003 H3 1LTR NILGLASS EAN 5050328005237

Animal data Dose: 0.5 g (80%), 4 hours, Rabbit Erythema/eschar score: Very slight erythema - barely perceptible (1). Oedema score: No oedema (0). Not irritating.

Serious eye damage/irritation

Serious eye damage/irritation Dose: 50 mg, , Rabbit Causes serious eye damage.

Skin sensitisation

Skin sensitisation Guinea pig maximization test (GPMT) - Guinea pig: Not sensitising.

Germ cell mutagenicity

Genotoxicity - in vitro Bacterial reverse mutation test: Negative. Read-across data.

Genotoxicity - in vivo Negative. Read-across data.

Carcinogenicity

Carcinogenicity NOAEL 938 mg/kg/day, Oral, Mouse Read-across data.

Reproductive toxicity

Reproductive toxicity - fertility Multi-generation study - NOAEL \geq 250 mg/kg/day, Oral, Rat P Read-across data.

Reproductive toxicity - development Maternal toxicity: - LOAEL: 1374 mg/kg/day, Oral, Rat
Developmental toxicity: - NOAEL: \geq 1374 mg/kg/day, Oral, Rat

Specific target organ toxicity - repeated exposure

STOT - repeated exposure LOAEC 30 mg/m³, Inhalation, Rat Read-across data.

Sodium Laureth Sulphate**Acute toxicity - oral**

Acute toxicity oral (LD₅₀ mg/kg) 4,100.0

Species Rat

ATE oral (mg/kg) 4,100.0

Acute toxicity - dermal

Notes (dermal LD₅₀) LD₅₀ > 2000 mg/kg, Dermal, Rat

Skin corrosion/irritation

Animal data Dose: 0.5 g, 4 hours, Rabbit Erythema/eschar score: Moderate to severe erythema (3). Oedema score: Moderate oedema - raised approximately 1 mm (3). Irritating.

Serious eye damage/irritation

Serious eye damage/irritation Dose: 0.1 ml (10%), 7 days, Rabbit Irritating. Dose: 0.1 ml (70%), 72 hours, Rabbit Highly irritating.

Skin sensitisation

Skin sensitisation Guinea pig maximization test (GPMT) - Guinea pig: Not sensitising.

Germ cell mutagenicity

Genotoxicity - in vitro Bacterial reverse mutation test: Negative.

Genotoxicity - in vivo Chromosome aberration: Negative.

Reproductive toxicity

(C)NIL003 H3 1LTR NILGLASS EAN 5050328005237

Reproductive toxicity - fertility Two-generation study - NOAEL 300 mg/kg/day, Oral, Rat P

Reproductive toxicity - development Developmental toxicity: - NOAEL: > 1000 mg/kg/day, Oral, Rat

Specific target organ toxicity - repeated exposure

STOT - repeated exposure NOAEL > 225 mg/kg/day, Oral, Rat

Aspiration hazard

Aspiration hazard Not anticipated to present an aspiration hazard, based on chemical structure.

Trisodium nitrilotriacetate**Acute toxicity - oral**

Acute toxicity oral (LD₅₀ mg/kg) 1,470.0

Species Rat

ATE oral (mg/kg) 1,470.0

Acute toxicity - dermal

Notes (dermal LD₅₀) LD₅₀ >2000 mg/kg, Dermal, Rabbit

Acute toxicity - inhalation

Notes (inhalation LC₅₀) LC₅₀ 5 mg/l, Inhalation, Rat Dust/Mist 4 hours

Skin sensitisation

Skin sensitisation Buehler test - Guinea pig: Not sensitising.

Carcinogenicity

Carcinogenicity NOAEL 9.2 mg/kg/day, Oral, Rat Weight of evidence.

Reproductive toxicity

Reproductive toxicity - fertility Two-generation study - LOAEL 450 mg/kg/day, Oral, Rat F1

Reproductive toxicity - development Teratogenicity: - NOAEL: 250 mg/kg/day, Oral, Rabbit

Specific target organ toxicity - repeated exposure

STOT - repeated exposure LOAEL 187 mg/kg/day, Oral, Rat NOAEC 0.213 mg/l, Inhalation, Rat

Sodium 1-amino-4-(cyclohexylamino)-9,10-dihydro-9,10-dioxoanthracene-2-sulphonate**Acute toxicity - oral**

Notes (oral LD₅₀) LD₅₀ >5000 mg/kg, Oral, Rat

Skin corrosion/irritation

Animal data Rabbit Not irritating.

Serious eye damage/irritation

Serious eye damage/irritation Rabbit Not irritating.

(C)NIL003 H3 1LTR NILGLASS EAN 5050328005237

Ecotoxicity Not regarded as dangerous for the environment. However, large or frequent spills may have hazardous effects on the environment.

12.1. Toxicity

Toxicity Refer to Section 2.

12.2. Persistence and degradability

Persistence and degradability The degradability of the product is not known.

12.3. Bioaccumulative potential

Bioaccumulative potential No data available on bioaccumulation.

12.4. Mobility in soil

Mobility The product is water-soluble and may spread in water systems. The product is non-volatile.

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB assessment This product does not contain any substances classified as PBT or vPvB.

12.6. Other adverse effects

Other adverse effects None known.

SECTION 13: Disposal considerations**13.1. Waste treatment methods**

General information The generation of waste should be minimised or avoided wherever possible. Reuse or recycle products wherever possible. This material and its container must be disposed of in a safe way. When handling waste, the safety precautions applying to handling of the product should be considered. Care should be taken when handling emptied containers that have not been thoroughly cleaned or rinsed out. Empty containers or liners may retain some product residues and hence be potentially hazardous.

Disposal methods Do not empty into drains.

SECTION 14: Transport information

General The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, ADR/RID).

14.1. UN number

Not applicable.

14.2. UN proper shipping name

Not applicable.

14.3. Transport hazard class(es)

No transport warning sign required.

14.4. Packing group

Not applicable.

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant

No.

14.6. Special precautions for user

(C)NIL003 H3 1LTR NILGLASS EAN 5050328005237

Not applicable.

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable.

SECTION 15: Regulatory information**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

National regulations Health and Safety at Work etc. Act 1974 (as amended).
The Carriage of Dangerous Goods and Use of Transportable Pressure Equipment Regulations 2009 (SI 2009 No. 1348) (as amended) ["CDG 2009"].
EH40/2005 Workplace exposure limits.

15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

Inventories**EU - EINECS/ELINCS**

None of the ingredients are listed or exempt.

SECTION 16: Other information

Abbreviations and acronyms used in the safety data sheet ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.
ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways.
RID: European Agreement concerning the International Carriage of Dangerous Goods by Rail.
IATA: International Air Transport Association.
ICAO: Technical Instructions for the Safe Transport of Dangerous Goods by Air.
IMDG: International Maritime Dangerous Goods.
CAS: Chemical Abstracts Service.
ATE: Acute Toxicity Estimate.
LC50: Lethal Concentration to 50 % of a test population.
LD50: Lethal Dose to 50% of a test population (Median Lethal Dose).
EC₅₀: 50% of maximal Effective Concentration.
PBT: Persistent, Bioaccumulative and Toxic substance.
vPvB: Very Persistent and Very Bioaccumulative.

Revision date 02/02/2022

Revision 2

Supersedes date 28/04/2021

SDS number 8999

Hazard statements in full H225 Highly flammable liquid and vapour.
H302 Harmful if swallowed.
H312 Harmful in contact with skin.
H315 Causes skin irritation.
H319 Causes serious eye irritation.
H332 Harmful if inhaled.
H336 May cause drowsiness or dizziness.

(C)NIL003 H3 1LTR NILGLASS EAN 5050328005237

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.