



SAFETY DATA SHEET

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name or designation of the mixture	Universal Blue/Aerograde PL32 –Light, Medium and Heavy Grades
Registration number	-
Synonyms	None.
SDS number	60
Issue date	18-April-2016
Version number	02
Revision date	20-June-2016
Supersedes date	18-April-2016

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses	Non-Setting and Non-Hardening Gasketing Compound.
Uses advised against	None known.

1.3. Details of the supplier of the safety data sheet

Manufacturer:	Hylomar Ltd.
Address:	Hylo House, Cale Lane, New Springs, Wigan, Greater Manchester, UK, WN2 1JT
Telephone number:	+44(0)1942 617000
E-mail address:	info@hylomar.co.uk
Contact person:	Technical Department

1.4. Emergency telephone number +1-760-476-3961 (US)

Access code: 333544

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

The mixture has been assessed and/or tested for its physical, health and environmental hazards and the following classification applies.

Classification according to Regulation (EC) No 1272/2008 as amended

Health hazards

Acute toxicity, oral	Category 4	H302 - Harmful if swallowed.
Skin corrosion/irritation	Category 2	H315 - Causes skin irritation.
Serious eye damage/eye irritation	Category 2	H319 - Causes serious eye irritation.
Carcinogenicity	Category 2	H351 - Suspected of causing cancer.
Specific target organ toxicity - single exposure	Category 3 respiratory tract irritation	H335 - May cause respiratory irritation.
Specific target organ toxicity - single exposure	Category 3 narcotic effects	H336 - May cause drowsiness or dizziness.
Specific target organ toxicity - repeated exposure	Category 2 (kidney, liver)	H373 - May cause damage to organs (kidney, liver) through prolonged or repeated exposure.

Hazard summary Harmful if swallowed. Causes skin and eye irritation. Suspected of causing cancer. May cause respiratory irritation. May cause drowsiness or dizziness. May cause damage to organs (kidney, liver) through prolonged or repeated exposure.

2.2. Label elements

Label according to Regulation (EC) No. 1272/2008 as amended

Contains: Dichloromethane

Hazard pictograms



Signal word

Warning

Hazard statements

H302	Harmful if swallowed.
H315	Causes skin irritation.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.
H336	May cause drowsiness or dizziness.
H351	Suspected of causing cancer.
H373	May cause damage to organs (kidney, liver) through prolonged or repeated exposure.

Precautionary statements

Prevention

P260	Do not breathe mist or vapour.
P280	Wear protective gloves/protective clothing/eye protection/face protection.

Response

P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P308 + P313	IF exposed or concerned: Get medical advice/attention.

Storage

P403 + P233	Store in a well-ventilated place. Keep container tightly closed.
-------------	--

Disposal

P501	Dispose of contents/container in accordance with local/regional/national/international regulations.
------	---

Supplemental label information None.

2.3. Other hazards Not a PBT or vPvB substance or mixture.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

General information

Chemical name	%	CAS-No. / EC No.	REACH Registration No.	INDEX No.	Notes
Dichloromethane	25-65	75-09-2 200-838-9	-	602-004-00-3	
Classification:	Acute Tox. 4;H302, Skin Irrit. 2;H315, Eye Irrit. 2;H319, STOT SE 3;H335, STOT SE 3;H336, Carc. 2;H351, STOT RE 2;H373				

Composition comments All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume. The full text for all H-statements is displayed in section 16.

SECTION 4: First aid measures

General information Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

4.1. Description of first aid measures

Inhalation	Move into fresh air and keep at rest. If not breathing, give artificial respiration or give oxygen by trained personnel. Get medical attention if any discomfort continues.
Skin contact	Take off immediately all contaminated clothing. Wash skin thoroughly with soap and water. Get medical attention if irritation develops and persists.
Eye contact	Immediately rinse eyes with water. Remove any contact lenses, and continue flushing eyes with running water for at least 15 minutes. Hold eyelids apart to ensure rinsing of the entire surface of the eye and lids with water. Get immediate medical attention.
Ingestion	Rinse mouth thoroughly. Do not induce vomiting. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs. Drink a few glasses of water or milk. Get medical attention immediately.

4.2. Most important symptoms and effects, both acute and delayed Symptoms include itching, burning, redness, and tearing of eyes. Itching, redness, burning of skin. Vapours may cause drowsiness and dizziness. Harmful if swallowed. Prolonged exposure may cause chronic effects.

4.3. Indication of any immediate medical attention and special treatment needed Provide general supportive measures and treat symptomatically.

SECTION 5: Firefighting measures

General fire hazards	The product is not flammable.
5.1. Extinguishing media	
Suitable extinguishing media	Water spray, foam, dry powder or carbon dioxide.
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
5.2. Special hazards arising from the substance or mixture	By heating and fire, toxic vapours/gases may be formed. Solvent vapours may form explosive mixtures with air.
5.3. Advice for firefighters	
Special protective equipment for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire. Selection of respiratory protection for firefighting: follow the general fire precautions indicated in the workplace.
Special fire fighting procedures	Cool containers exposed to heat with water spray and remove container, if no risk is involved. Prevent runoff from fire control or dilution from entering streams, sewers or drinking water supply.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures	
For non-emergency personnel	Keep upwind. Ventilate closed spaces before entering them. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Avoid inhalation of vapours/mist and contact with skin and eyes.
For emergency responders	Keep unnecessary personnel away. Wear protective clothing as described in Section 8 of this safety data sheet.
6.2. Environmental precautions	Prevent further leakage or spillage if safe to do so. Do not discharge into drains, water courses or onto the ground.
6.3. Methods and material for containment and cleaning up	Eliminate all ignition sources. Ventilate the area. Wipe up with absorbent material (e.g. cloth, fleece). Transfer to a container for disposal. Following product recovery, flush area with water.
6.4. Reference to other sections	For personal protection, see section 8 of the SDS. For waste disposal, see section 13 of the SDS.

SECTION 7: Handling and storage

7.1. Precautions for safe handling	Use only outdoors or in a well-ventilated area. Avoid inhalation of vapours/mist and contact with skin and eyes. Avoid prolonged exposure. Wear protective clothing as described in Section 8 of this safety data sheet. Wash thoroughly after handling. Wash contaminated clothing before reuse. Observe good industrial hygiene practices. Avoid release to the environment.
7.2. Conditions for safe storage, including any incompatibilities	Keep container tightly closed in a cool, well-ventilated place. Keep away from heat, spark, open flames and other sources of ignition. Store away from incompatible materials. Store in closed original container at temperatures between 5°C and 25°C.
7.3. Specific end use(s)	Non-Setting and Non-Hardening Gasketing Compound.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

UK. EH40 Workplace Exposure Limits (WELs)

Components	Type	Value
Dichloromethane (CAS 75-09-2)	STEL	1060 mg/m ³
	TWA	300 ppm
		350 mg/m ³
		100 ppm

Biological limit values

UK. EH40 Biological Monitoring Guidance Values (BMGVs)

Components	Value	Determinant	Specimen	Sampling time
Dichloromethane (CAS 75-09-2)	30 ppm	Carbon monoxide	end-tidal breath	*

* - For sampling details, please see the source document.

Recommended monitoring procedures Follow standard monitoring procedures.

Derived no effect levels (DNELs) Not available.

Predicted no effect concentrations (PNECs) Not available.

Exposure guidelines

UK EH40 WEL: Skin designation

Dichloromethane (CAS 75-09-2)

Can be absorbed through the skin.

8.2. Exposure controls

Appropriate engineering controls Provide adequate ventilation. Observe Occupational Exposure Limits and minimise the risk of inhalation of vapours. Provide easy access to water supply and eye wash facilities.

Individual protection measures, such as personal protective equipment

General information Personal protective equipment should be chosen according to the CEN standards and in discussion with the supplier of the personal protective equipment.

Eye/face protection If eye contact is likely, safety glasses with side shields or chemical type goggles should be worn.

Skin protection

- Hand protection Wear protective gloves. Polyvinyl alcohol gloves are recommended. Be aware that the liquid may penetrate the gloves. Frequent change is advisable. Suitable gloves can be recommended by the glove supplier.

- Other Normal work clothing (long sleeved shirts and long pants) is recommended.

Respiratory protection In case of inadequate ventilation or risk of inhalation of vapours, use suitable respiratory equipment with gas filter (type A2). If engineering controls do not maintain airborne concentrations below recommended exposure limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

Hygiene measures Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Observe any medical surveillance requirements.

Environmental exposure controls Environmental manager must be informed of all major releases.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance Blue thixotropic gel.

Physical state Liquid.

Form Thixotropic gel.

Colour Blue.

Odour Sweet.

Odour threshold Not available.

pH Not applicable.

Melting point/freezing point Not available.

Initial boiling point and boiling range Not applicable.

Flash point Not applicable.

Evaporation rate Not applicable.

Flammability (solid, gas) Not applicable.

Upper/lower flammability or explosive limits

Flammability limit - lower (%) Not applicable.

Flammability limit - upper (%) Not applicable.

Vapour pressure 47 kPa (20 °C)

Vapour density 2.93 (Air = 1) (20 °C)

Relative density 1.32 (20 °C)

Solubility(ies) Slightly miscible.

Partition coefficient (n-octanol/water) 1.25 - 1.3 (Measured)

Auto-ignition temperature 600 °C (1112 °F)

Decomposition temperature Not available.

Viscosity Not applicable.

Explosive properties Not explosive.

Oxidising properties	Not oxidising.
9.2. Other information	
Explosive limit	Not available.
VOC	25 - 65 % (Hylomar Test Method 1.1A Determination of Volatile Matter)

SECTION 10: Stability and reactivity

10.1. Reactivity	The product is stable and non reactive under normal conditions of use, storage and transport.
10.2. Chemical stability	Material is stable under normal conditions.
10.3. Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
10.4. Conditions to avoid	Heat, sparks, flames, elevated temperatures.
10.5. Incompatible materials	Strong oxidising agents. Alkali metals.
10.6. Hazardous decomposition products	Phosgene. Hydrogen chloride. Carbon monoxide. Carbon dioxide.

SECTION 11: Toxicological information

General information Occupational exposure to the substance or mixture may cause adverse effects.

Information on likely routes of exposure

Inhalation	Irritating to respiratory system. Vapours may cause drowsiness and dizziness.
Skin contact	Causes skin irritation. May be absorbed through the skin.
Eye contact	Causes serious eye irritation.
Ingestion	Harmful if swallowed. Ingestion may cause irritation and malaise.

Symptoms Symptoms include itching, burning, redness, and tearing of eyes. Itching, redness, burning of skin. Vapours may cause drowsiness and dizziness. Harmful if swallowed. Prolonged exposure may cause chronic effects.

11.1. Information on toxicological effects

Acute toxicity Harmful if swallowed.

Components	Species	Test results
Dichloromethane (CAS 75-09-2)		
Acute		
<i>Dermal</i>		
LD50	Rabbit	> 2000 mg/kg, OEC test guideline 402
<i>Oral</i>		
LD50	Rat	1600 mg/kg
Skin corrosion/irritation	Causes skin irritation.	
Serious eye damage/eye irritation	Causes serious eye irritation.	
Respiratory sensitisation	Based on available data, the classification criteria are not met.	
Skin sensitisation	Based on available data, the classification criteria are not met.	
Germ cell mutagenicity	Positive in vitro, but negative in vivo assays.	
Carcinogenicity	Suspected of causing cancer.	
IARC Monographs. Overall Evaluation of Carcinogenicity		
Dichloromethane (CAS 75-09-2)	2A Probably carcinogenic to humans.	
Reproductive toxicity	Based on available data, the classification criteria are not met.	
Specific target organ toxicity - single exposure	May cause respiratory irritation. May cause drowsiness or dizziness.	
Specific target organ toxicity - repeated exposure	May cause damage to organs (kidney, liver) through prolonged or repeated exposure.	
Aspiration hazard	Due to lack of data the classification is not possible.	
Mixture versus substance information	No data available.	
Other information	Symptoms may be delayed. Severe overexposure may cause cardiac sensitisation and result in irregular rhythm.	

SECTION 12: Ecological information

12.1. Toxicity The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Product	Species		Test results
Universal Blue/Aerograde PL32 –Light, Medium and Heavy Grades (CAS Mixture)			
<i>Acute</i>			
	LC50	Salmo garidneri	5.5 mg/l, 96 hours
Aquatic			
<i>Acute</i>			
Algae	EC50	Algae	> 662 mg/l, 48 hours
Crustacea	EC50	Daphnia magna	135 - 2270 mg/l, 48 hours
Fish	LC50	Fish	135 - 502 mg/l, 96 hours
<i>Chronic</i>			
Fish	LC50	Guppy (Poecilia reticulata)	295 mg/l, 14 days
	NOEC	Pimephales promelas	357 mg/l, 8 days

12.2. Persistence and degradability The product is not readily biodegradable. BOD: 5 - 25% / 28 days. The product is intrinsically biodegradable. Degradation = 100% / 28 days.

12.3. Bioaccumulative potential Potential to bioaccumulate is low. BCF (Cyprinus carpio): 6.4 - 40, 42 days at 0.025 ppm. Log Pow: 1.25 - 1.30 (measured).

Partition coefficient n-octanol/water (log Kow)

Universal Blue/Aerograde PL32 –Light, Medium and Heavy Grades	1.25 - 1.3, (Measured)
Dichloromethane (CAS 75-09-2)	1.25

Bioconcentration factor (BCF) Not available.

12.4. Mobility in soil No data available.

Mobility in general The product is slightly soluble in water.

12.5. Results of PBT and vPvB assessment Not a PBT or vPvB substance or mixture.

12.6. Other adverse effects The product contains volatile organic compounds which have a photochemical ozone creation potential.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Residual waste	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
Contaminated packaging	Empty containers should be taken to an approved waste handling site for recycling or disposal.
EU waste code	16 03 05* The Waste code should be assigned in discussion between the user, the producer and the waste disposal company.
Disposal methods/information	Do not discharge into drains, water courses or onto the ground. Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of contents/container in accordance with local/regional/national/international regulations.

SECTION 14: Transport information

ADR

14.1. UN number	UN2810
14.2. UN proper shipping name	Toxic liquid, organic, n.o.s. (Dichloromethane)
14.3. Transport hazard class(es)	
Class	6.1
Subsidiary risk	-
Label(s)	6.1
Hazard No. (ADR)	60
Tunnel restriction code	E
14.4. Packing group	III
14.5. Environmental hazards	No
14.6. Special precautions for user	Read safety instructions, SDS and emergency procedures before handling.

RID

14.1. UN number	UN2810
------------------------	--------

14.2. UN proper shipping name Toxic liquid, organic, n.o.s. (Dichloromethane)
14.3. Transport hazard class(es)
 Class 6.1
 Subsidiary risk -
 Label(s) 6.1
14.4. Packing group III
14.5. Environmental hazards No
14.6. Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

ADN

14.1. UN number UN2810
14.2. UN proper shipping name Toxic liquid, organic, n.o.s. (Dichloromethane)
14.3. Transport hazard class(es)
 Class 6.1
 Subsidiary risk -
 Label(s) 6.1
14.4. Packing group III
14.5. Environmental hazards No
14.6. Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

IATA

14.1. UN number UN2810
14.2. UN proper shipping name Toxic liquid, organic, n.o.s. (Dichloromethane)
14.3. Transport hazard class(es)
 Class 6.1
 Subsidiary risk -
 Label(s) 6.1
14.4. Packing group III
14.5. Environmental hazards No
ERG Code 6L
14.6. Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

IMDG

14.1. UN number UN2810
14.2. UN proper shipping name Toxic liquid, organic, n.o.s. (Dichloromethane)
14.3. Transport hazard class(es)
 Class 6.1
 Subsidiary risk -
 Label(s) 6.1
14.4. Packing group III
14.5. Environmental hazards
 Marine pollutant No
EmS F-A, S-A
14.6. Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code Not applicable.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended
Not listed.

Regulation (EC) No. 850/2004 On persistent organic pollutants, Annex I as amended
Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended
Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended
Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended
Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended
Not listed.

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry, as amended
Dichloromethane (CAS 75-09-2)

Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA
Not listed.

Authorisations

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorisation, as amended
Not listed.

Restrictions on use

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended
Dichloromethane (CAS 75-09-2)

Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work, as amended.
Not listed.

Other EU regulations

Directive 2012/18/EU on major accident hazards involving dangerous substances, as amended
Not listed.

Other regulations

This Safety Data Sheet complies with the requirements of Regulation (EC) No 1907/2006, as amended. The product is classified and labelled in accordance with Regulation (EC) 1272/2008 (CLP Regulation) as amended and respective national laws implementing EC directives.

National regulations

Young people under 18 years old are not allowed to work with this product according to the EU Directive 94/33/EC on the protection of young people at work.

15.2. Chemical safety assessment

No Chemical Safety Assessment has been carried out.

SECTION 16: Other information

List of abbreviations

DNEL: Derived No-Effect Level.
PNEC: Predicted No-Effect Concentration.
PBT: Persistent, bioaccumulative and toxic.
vPvB: Very Persistent and very Bioaccumulative.
LD50: Lethal Dose, 50%.
LC50: Lethal Concentration, 50%.

References

HSDB® - Hazardous Substances Data Bank
Registry of Toxic Effects of Chemical Substances (RTECS)
ESIS (European chemical Substances Information System)

Information on evaluation method leading to the classification of mixture

The mixture is classified based on test data for physical hazards. The classification for health and environmental hazards is derived by a combination of calculation methods and test data, if available. For details, refer to Sections 9, 11 and 12.

Full text of any H-statements not written out in full under Sections 2 to 15

H302 Harmful if swallowed.
H315 Causes skin irritation.
H319 Causes serious eye irritation.
H335 May cause respiratory irritation.
H336 May cause drowsiness or dizziness.
H351 Suspected of causing cancer.
H373 May cause damage to organs through prolonged or repeated exposure.

Training information

Follow training instructions when handling this material.

Disclaimer

The information in the sheet was written based on the best knowledge and experience currently available.